



INNOVATIVE  
RUBBER  
FLOORING  
PRODUCTS

REPHOUSE  
[www.rephouse.com](http://www.rephouse.com)



## > INNOVATIVE RUBBER FLOORING PRODUCTS

Since 1985, Rehouse has been manufacturing rubber flooring systems. This passion is still intact to this day and every floor supplied has been designed and built to last. Our mission is total quality, supported by the dedication of our experienced people. Our reputation rests on a steadfast pursuit in the development of rubber flooring systems for recreational, architectural and commercial applications.



## > SINCE 1985

Rephouse is a leading manufacturer of sports and recreational flooring systems. With its state of the art production technology and more than 20 years of hands on experience in both production and installation all over the world, Rephouse can ensure a premium quality surfacing product tailor made for any kind of application.




**USSL**  
UNITED STATES  
SPORTS SURFACING  
LABORATORY, INC.



# > DECOFLEX™ RUBBER SPORTS FLOORING

Decoflex™ 'D' Series is a prefabricated rubber sports flooring system specifically engineered for all weather sports applications.

It is a true multipurpose sports surface ideal for schools, clubs, colleges, universities and public facilities.




## Dimensions

Roll length: to suit job  
Roll width: 1.2m [4']  
Base Mat weight: 850 kg/m<sup>3</sup>  
[53.0 lbs/ft<sup>3</sup>]  
Top Mat weight: 1200 kg/m<sup>3</sup>  
[74.8 lbs/ft<sup>3</sup>]



## > DECOFLEX™ ATHLETIC TRACK FLOORING



SW14



T14



D14

Decoflex™ SW14 is installed at the 2004 Athens Olympic Training Track in Filis, Greece.

# > DECOFLEX™ UNIVERSAL INDOOR SPORTS FLOORING

Decoflex™  
SPORTS FLOORING

Decoflex™ Universal - The discerning sportsman will prefer the cushioned indoor seamless polyurethane Decoflex™ Universal Sports Floor because it is designed for the most demanding sports conditions.



## Dimensions

Roll length: to suit job  
Roll width: 1.2m [4']  
Base Mat weight: 700 kg/m<sup>3</sup> [43.6 lbs/ft<sup>3</sup>]



## Seamless Wear Coat


- applied in a single pour
- distributes point loads over larger area due to soft base mat

## Pore Sealer

- thixotropic
- designed to seal the rubber base mat
- excellent compatibility with wear coat

## 100% Recycled Rubber Base Mat

- consistent thickness for complete reliability
- excellent force reduction
- choice of thickness allows for sports optimization



## Colored Top Coat

- excellent abrasion & marring resistance
- low and easy maintenance

Suitable for: FIELDHOUSES • BASKETBALL • VOLLEYBALL • AEROBICS • DANCE HALLS • GYMS • MULTIPURPOSE PLAY AREAS

# > NEOFLEX™ COMMERCIAL FLOORING

**Neo**flex™  
RESILIENT FLOORING

Neoflex™ Rubber Flooring has a number of excellent features to enhance the look, feel and life of your floor. Neoflex™ is an environmentally friendly, homogeneous EPDM/recycled rubber floor covering for areas subject to heavy wear. The durability, flexibility, safety, comfort, slip resistance and aesthetic appeal makes Neoflex™ the true perfect solution for both in - and outdoor flooring applications.




## GREAT FEATURES

- Slip Resistant (exceeds ADA requirements)
- Homogenous Construction
- Resilient, Durable,
- Low Step Noise
- Environmentally Friendly
- Microbial Treated
- Optional Fresh Finish™
- Sealer Available



## > NEOFLEX™ 500 SERIES



80% Recycled Black Rubber  
20% Synthetic Colored EPDM Rubber

Suitable for: AUDITORIA • CORRIDORS • STADIA • CINEMAS • BUSES • FITNESS GyMS • AEROBICS • CHANGING ROOMS • POOL SURROUNDINGS


# > NEOFLEX™ COMMERCIAL FLOORING

## > NEOFLEX™ 600 SERIES



5% Recycled Black Rubber  
95% Synthetic Colored EPDM Rubber

## > NEOFLEX™ 700 SERIES



30% Recycled Black Rubber  
70% Synthetic Colored EPDM Rubber

## > NEOFLEX™ 800 SERIES



100% Synthetic Colored EPDM Rubber


## > THINK COLOR



Think Color is Rephouse's brand new, fully interactive floor design program built to bring its infinite design options to your computer screen. It's simple to use, allowing you to experiment in creating unique designs which you can print, save and use to instruct to make your floor just how you want it. Visit [www.rephouse.com/thinkcolor/](http://www.rephouse.com/thinkcolor/)!

### SAMPLE COLOR

#### 600 SERIES : 100% EPDM Colored Rubber



[www.rephouse.com/thinkcolor](http://www.rephouse.com/thinkcolor)



# > PLAYFLEX™ SAFETY TILES




## GREAT FEATURES


Certified to ASTM F1292 / EN 1177 / AS/NZS 1422  
Slip Resistant (exceeds ADA requirements)  
Homogenous Construction  
Resilient, Durable, Low Step Noise  
Environmentally Friendly  
Microbial Treated  
Made of Recycled Rubber



**BASIC** - made of Recycled Rubber + Pigmented Binder



**ROYAL** - made of a poured colored Synthetic EPDM Rubber Top and Recycled Rubber Base



**DESIGNER** - made of a 100% colored Synthetic EPDM Sheet Rubber Top and Recycled Rubber Base



**JAZZ** - made of a blend of colored Synthetic EPDM + Black Sheet Top and Recycled Rubber Base



**GALAXY** - made of Recycled Rubber with a Flecked Colored Synthetic EPDM Top

Tiles: 508mm x 508mm [20" x 20"] or 608mm x 608mm [24" x 24"] or 1010mm x 1010mm [40" x 40"] Thickness: 15mm [9/16"] to 100mm [4"]

# > VERSATILE™ RUBBER TILES



Versatile™ resilient modular recycled rubber safety flooring is a terrific alternative to traditional hard surfaces. Patterns provide unique finish and styling. Versatile™ is tough, flexible, slip resistant and comfortable to walk on.



**GREAT FEATURES**  
Slip Resistant (exceeds ADA requirements)  
Homogenous Construction Resilient,  
Durable, Low Step Noise,  
Environmentally Friendly,  
Made of Recycled Rubber

Thickness:

15mm [9/16"]  
25mm [1"]

20mm [7/8"]  
45mm [1 3/4"]



**EPT - 32**

1130 x 900mm  
[44 1/2" x 35 4/10"]



**BRT**

505 x 505mm  
[20" x 20"]



**FST**

505 x 505mm  
[20" x 20"]



**HXT**

608 x 550mm  
[24" x 21 5/8"]



**FXT**

505 x 505mm  
[20" x 20"]



**ZXT**

555 x 555mm  
[21 7/8" x 21 7/8"]



**EPT**

845 x 600mm  
[33 1/4" x 23 5/8"]

Suitable for : WALKWAYS • BALCONIES • TERRACES • GOLF FACILITIES

# > EVOPAWE™ INTERLOCKING PAVERS

Rubber Interlocking Pavers are ideal as a resilient safe equine flooring.

As supplied to the 2004 Athens Olympics.



## Dimensions

Length: 200mm [8"]  
Width: 160mm [6 1/4"]

Thickness:  
15mm [9/16"]  
20mm [7/8"]  
25mm [1"]  
45mm [1 3/4"]

## GREAT FEATURES


**Slip Resistant (exceeds ADA requirements)**  
**Homogenous Construction Resilient,**  
**Durable, Low Step Noise,**  
**Environmentally Friendly,**  
**Made of Recycled Rubber**

Also suitable for: **COMMERCIAL ENTRANCES • GOLF CLUBS • WEIGHT ROOMS • AMUSEMENT PARKS • GARDEN CENTERS • RECREATIONAL AREAS**

## > **EVOFLEX™ SEAMLESS EQUINE FLOORING**



The discerning owner will prefer the cushioned Evoflex™ Seamless Polyurethane Flooring because it has been designed for the most demanding equine conditions. Evoflex™ is unique: the floor is totally seamless and therefore hygienic. The top surface, supported by a black rubber base mat, is made of a self leveling wear coat finished with a polyurethane top coat to make a tough, virtually indestructible, seamless, resilient floor.



### **GREAT FEATURES**

Seamless, Hygienic, Long Lasting  
Reduces Fatigue & Injuries,  
Repairable & Recoatable,  
Wide Choice of Colors,  
Slip, Low Maintenance


Polyurethane  
Pore Sealer

Black Rubber Base

Polyurethane  
Wear Coat

Polyurethane  
Top Coat

Thickness: 12mm. Other thickness is available upon request.



# > ISODEC™ ACOUSTICAL UNDERLAY



Isodec™ is a premium accoustical underlayment which provides optimum sound and vibration resonance absorption as well as excellent thermal insulation properties. It is manufactured of polymetrically bound recycled rubber and/or cork particles and is supplied in rolls that are easy to handle and install.



## GREAT FEATURES

- Reduces Noise Transfer > 50%
- Reduce Step Noise
- Environmentally Friendly
- Quick Installation
- Permanently Resilient



[www.rephouse.com](http://www.rephouse.com)

