

REPHOUSE
www.rephouse.com

Neo *flex*™

RESILIENT FLOORING

for Pool Surrounds


The safe choice.

Neoflex™ 600 Series for Pool Surrounds

- 100% Synthetic Colored EPDM Rubber
- Suitable for indoor or outdoor pools
- Chemically resistant
- Non-slip
- No sharp edges
- Anti-microbial treatment
- Will not crack or split
- suited for:
 - pool surrounds
 - changing rooms
 - patios
 - terraces



Neoflex 600 Series
for Pool Surrounds




REPHOUSE
www.rephouse.com

600 SERIES
for Pool Surrounds



Neoflex™
RESILIENT FLOORING

Neoflex 600 Series
for Pool Surrounds



REPHOUSE
www.rephouse.com

20 Standard Colors for Pool Surrounds

Neoflex™ 600 Series for Pool Surrounds




600-101




600-102



600-103




600-104



600-105




600-106




600-107




600-108



600-109



600-110




600-111



600-112




600-113



600-114



600-115



600-116



600-117



600-118



600-119






600-120

Or design your own color.

Visit www.rephouse.com and use our ThinkColor™ program to design your own 600 Series color, like the examples below.



Neoflex 600 Series
for Pool Surrounds





Neoflex 600 Series
for Pool Surrounds




REPHOUSE
www.rephouse.com

General Specifications

Thickness	3 - 12 mm (1/8" - 1/2")	
Roll Length	10 -25 m (50')	
Roll Width	1.2 m (4')	
Density	± 1,300 kg/m ³ (81.04 lbs/cu. ft.)	
Resilience	40%	DIN 18032
Tensile Strength	0.91 N/mm ²	DIN 18032
Tear Strength	9.7 N/mm	ASTM D624
Taber Abrasion	0.66 gr	ASTM C504
Shore Hardness A	60	ASM D2240
Remaining Indentation	0.05 mm	DIN 53960
Noise Absorption	13dB [4 mm]	EN 20140/ISO 140
Flammability	Class 1 (Sport Use)	ASTM D2859
Flammability	Cfl-s1 (Commercial Use)	EN 13501
Flammability	Class 1 (Commercial Use)	ASTM E648
Coefficient of Friction	Dry 1.1, Wet 1.03	
Slip Resistance	R10	ANZS 4596:1999
Thermal Stability	-40°C to 100°C	
		ASTM C1026

Relative Temperature Comparison





Neoflex™
RESILIENT FLOORING

Neoflex 600 Series
for Pool Surrounds



REPHOUSE
www.rephouse.com



Neoflex™
RESILIENT FLOORING

Neoflex 600 Series
for Pool Surrounds




REHOUSE
www.rehouse.com



Neoflex™
RESILIENT FLOORING

Neoflex 600 Series
for Pool Surrounds




REPHOUSE
www.rephouse.com



Neoflex™
RESILIENT FLOORING

Neoflex 600 Series
for Pool Surrounds



REPHOUSE
www.rephouse.com